



Sea-R.O.
WATERMAKERS

MAKING WATER BETTER, MAKING BETTER WATER

SEA-R.O., WATERMAKERS TEL: 954-527-5282 FAX: 954-462-7183


www.makeh2o.com

LOW AND HIGH PRESSURE SWITCHES SUITABLE FOR SEAWATER APPLICATIONS




SM

Low Pressure Switch SM



CD

High Pressure Switch CD



Model	Description
SM-UIC-4F/HH	LP Switch 316SS
SM-UIC-15F/HH	LP Switch 316SS
CD-UIC5-900J/HH	HP Switch 316SS
CG1N03000AB2-5N	5m pre-molded DIN cable 4-wire

Pressure setting
4 psi falling
15 psi falling
250-1000 psi rising adjustable

BOTH SWITCHES HAVE 1/4" MNPT CONNECTIONS AND DIN TYPE CONNECTORS FOR ELECTRICAL CABLE CONNECTION

Switches all feature dual function normally open (NO) and normally closed (NC) contacts. Most systems use the low pressure switch as a normally open function that maintains a closed condition when pressure builds. If pressure drops, switch opens and shuts down system. High pressure switch is usually wired as normally closed. When pressure builds beyond setting, switch will open and shut down system.

Universal design allows simple retrofit of other type switches.

Sea-R.O. has schematic drawings available for these switches.



Sea-R.O.
WATERMAKERS

MAKING **WATER** BETTER, MAKING **BETTER** WATER

SEA-R.O., WATERMAKERS TEL: 954-527-5282 FAX: 954-462-7183

www.makeh2o.com



Sea-R.O.
WATERMAKERS

MAKING **WATER** BETTER, MAKING **BETTER** WATER

SEA-R.O., WATERMAKERS TEL: 954-527-5282 FAX: 954-462-7183

www.makeh2o.com



Sea-R.O.
WATERMAKERS

MAKING **WATER** BETTER, MAKING **BETTER** WATER

SEA-R.O., WATERMAKERS TEL: 954-527-5282 FAX: 954-462-7183

www.makeh2o.com